engineering fracture mechanics

List of Contents and Author Index
Volume 49, 1994

PERGAMON

engineering fracture mechanics

An International Journal

EDITOR-IN-CHIEF
PROFESSOR HAROLD LIEBOWITZ

c/o A.E.R.D.C.O.
P.O. Box 25736
Washington, DC 20007-8736, U.S.A.

EDITORIAL ADVISORY BOARD

PROFESSOR S. N. ATLURI
Georgia, U.S.A.

DR. ZDENEK BILEK
Brno, Czech Republic

PROFESSOR BRUNO A. BOLEY
New York, U.S.A.

DR. DAVID BROEK
Ohio, U.S.A.

PROFESSOR JANNE CARLSSON
Stockholm, Sweden

PROFESSOR G. P. CHEREPANOV
Moscow, Russia

PROFESSOR H. T. CORTEN
Illinois, U.S.A.

DR. THEODOR GAYMANN
Munich, Germany

DR. GEORGE T. HAHN
Tennessee, U.S.A.

PROFESSOR GEORGE HERRMANN
California, U.S.A.

PROFESSOR D. L. JONES
Washington, D.C., U.S.A.

PROFESSOR HIROSHI KIHARA
Tokyo, Japan

DR. J. M. KRAFFT
Virginia, U.S.A.

PROFESSOR JAMES D. LEE
Washington, D.C., U.S.A.

PROFESSOR FRANK A. McCLINTOCK
Massachusetts, U.S.A.

PROFESSOR A. J. McEVILY
Connecticut, U.S.A.

PROFESSOR JAROSLAV NEMEC
Prague, Czech Republic

DR. NICHOLAS PERRONE
Maryland, U.S.A.

DR. J. SCHIJVE
Delft, The Netherlands

DR. WALTER SCHUTZ
Ottobrunn, Germany

PROFESSOR GEORGE C. SIH
Pennsylvania, U.S.A.

PROFESSOR JANN N. YANG
California, U.S.A.

PROFESSOR TAKEO YOKOBORI
Utsunomiya, Japan

Production Editor: Zara Wilcock, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England (Tel (01865) 843000; Telex 83177; Fax (01865) 843010; e-mail c.morgan@elsevier.co.uk).

Publishing, Subscription and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England; or Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Subscription Rates
Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.$2124.00, rest of the world, £1425.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.
Second class postage paid at NEWARK NJ and additional Mailing Offices. Postmaster send address corrections to Engineering Fracture Mechanics, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Published Monthly plus Additional Issues in January, March, May, July, September and November (Three Volumes 1994). Subscription enquiries from customers in North America should be sent to Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and for the remainder of the world to Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.

Back Issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science offices.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Copyright © 1994 Elsevier Science Ltd

The cover picture was taken by Dr Erwin Sommer in his studies at the Ernst Mach Institute in Freiburg, Germany, in work under the direction of Dr F. Kerkhof. Dr Sommer is Director of Fraunhofer-Institut Fuer Werkstoffmechanik, Rosastraße, 9, 7800 Freiburg, Germany.

List of Contents

NUMBER 1

A. N. Das	1	Tearing of an elastic half-space
C. Q. Ru and **R. C. Batra**	7	Analysis of deformation fields near an interfacial crack tip in locking materials
S. J. Song and **A. M. Waas**	17	Mode I failure of laminated polymeric composites
C. R. Chiang	29	Threshold stress intensity factor of fatigue cracks
M. Hojo, S. Ochiai, C.-G. Gustafson and **K. Tanaka**	35	Effect of matrix resin on delamination fatigue crack growth in CFRP laminates
P. C. Olsen	49	Determining the stress intensity factors K_I, K_{II} and the T-term via the conservation laws using the boundary element method
Wang Ze-Ping and **Zheng Jian**	61	Dynamic failure in ductile porous materials
Yen-Ling Chung and **Mei-Rong Chen**	75	Self-similar problem of a penny-shaped crack subjected to pure torsion
S. Bhattacharya and **A. N. Kumar**	85	A study on the offset measurement numbers for average crack size estimation in elliptical crack front
S. R. Daniewicz	95	A closed-form small-scale yielding collinear strip yield model for strain hardening materials
Chung-Youb Kim and **Ji-Ho Song**	105	Fatigue crack closure and growth behavior under random loading
G. Chandramouli, K. Gupta and **R. K. Pandey**	121	Delamination propagation in rotating carbon–epoxy composite shaft
Zhao Yishu	133	Bi-parametric criterion applied to brittle and quasi-brittle fracture
I. V. Orynyak, M. V. Borodii and **V. M. Torop**	143	Approximate construction of a weight function for quarter-elliptical, semi-elliptical and elliptical cracks subjected to normal stresses
		Technical Notes
V. K. Saxena, G. Malakondaiah and **V. M. Radhakrishnan**	153	Influence of specimen configuration and loading history on fatigue crack growth behaviour of 2024–T3 clad aluminium alloy
D. P. Harvey, II, J. B. Terrell and **T. S. Sudarshan**	159	Hydrogen and temperature effects on the slow bend behavior of 21-6-9 stainless steel
	I	Software Survey Section

NUMBER 2

W. Beres and **A. K. Koul**	165	Finite element validation of stress intensity factor calculation models for thru-thickness and thumb-nail cracks in double edge notch specimens
Jian Li and **Youjiang Wang**	179	Analysis of a symmetric laminate with mid-plane free edge delamination under torsion: theory and application to the Edge Crack Torsion (ECT) specimen for mode III toughness characterization
K. S. Parihar and **V. Prasad**	195	A Griffith crack located asymmetrically in an infinitely long elastic strip
P. Sollero, M. H. Aliabadi and **D. P. Rooke**	213	Anisotropic analysis of cracks emanating from circular holes in composite laminates using the boundary element method
Weisheng Lei, and **Mei Yao**	225	A new model of the critical crack size for low temperature brittle fracture of structural steel and its experimental verification
K. S. Zhang and **Z. H. Li**	235	Numerical analysis of the stress–strain curve and fracture initiation for ductile material
A. N. Das	243	Extension of cracks in an infinite elastic medium due to plane SH-waves
Z. Z. Huang and **Q. Gao**	251	Evaluation of the J-integral for surface cracks using the line-spring model
Guo Wanlin	265	Fatigue crack closure under triaxial stress constraint—I. Experimental investigation
Guo Wanlin	277	Fatigue crack closure under triaxial stress constraint—II. Analytical model
I. V. Orynyak and **M. V. Borodii**	287	A ductile fracture model for a pipe with an axial surface crack
K. S. Wang and **C. M. Chu**	295	Edge crack growth for linear elastic body with wavy surface
R. M. V. Pidaparti and **G. Pontula**	309	Maximum tearing energy computation for 3D rubber fracture
H. Sakamoto, H. Saiki and **K. Takano**	317	Surface crack initiation in pure titanium under various stress frequencies
	323	Corrigendum
	I	Software Survey Section

NUMBER 3

L. S. Nui, C. Chehimi and **G. Pluvinage**	325	Stress field near a large blunted tip V-notch and application of the concept of the critical notch stress intensity factor (NSIF) to the fracture toughness of very brittle materials
C. L. Lau, M. M. K. Lee and **A. R. Luxmoore**	337	Methodologies for predicting *J*-integrals under large plastic deformation—I. Further developments for tension loading
C. L. Lau, M. M. K. Lee and **A. R. Luxmoore**	355	Methodologies for predicting *J*-integrals under large plastic deformation—II. Single edge notch specimens in pure bending
N. K. Anifantis, R. L. Actis and **A. D. Dimarogonas**	371	Vibration of cracked annular plates
Cha'o-Kuang Chen and **Bor-Lih Kuo**	381	Transient thermal contact problem for an internal edge crack in a layered cylinder
Yong-Wan Kim, Jae-Han Lee and **Bong Yoo**	393	An analysis of stress intensity factor for thermal transient problems based on Green's function
W. J. He, J. E. Bolander, Jr, D. S. Lin and **H. J. Ding**	405	A boundary element for crack analysis at a bimaterial interface
J. Sarkar, S. C. Mandal and **M. L. Ghosh**	411	Interaction of elastic waves with two coplanar Griffith cracks in an orthotropic medium
Yong Li Xu	425	Crack surface displacement coupling due to material anisotropy
Qianchu Liu and **T. Varga**	435	The relationship between CTOD, *J* and microstructural inhomogeneity
A. A. Baron	445	The relationship between fracture toughness, stretched zone width and mechanical properties in tensile test
B. Dattaguru, K. S. Venkatesha, T. S. Ramamurthy and **F. G. Buchholz**	451	Finite element estimates of strain energy release rate components at the tip of an interface crack under mode I loading
J. E. Abdalla F°, J. Marques F° and **C. H. Ohde**	465	An assessment of the capabilities of Tracey's singularity element
A. Hadrboletz, D. L. Chen, B. Weiss and **R. Stickler**	473	Experimental *K* calibration for surface flaws under bending for different materials and stress ratios

NUMBER 4

Rui Zong and **Ming-O Wang**	487	Branching extension characteristics of mode II crack under fatigue loading
C. Y. Tang and **A. Plumtree**	499	Damage mechanics applied to polymers
Weisheng Lei and **Mei Yao**	509	The generalized characteristic transition temperature of brittleness—I. Concept and phenomenological interpretation
Dai-Heng Chen	517	A crack normal to and terminating at a bimaterial interface
Dai-Heng Chen	533	Analysis of singular stress field around the inclusion corner tip
Wen-Hwa Chen and **Shau-Hwa Yang**	547	Multilayer hybrid-stress finite element analysis of a patched crack
Y. Z. Chen	559	Weight function for an internal crack in plane elasticity
Shiliang Ding, L. Meekisho and **M. Kumosa**	569	Analysis of stress singular fields at a bimaterial wedge corner
Ki Ju Kang	587	Criteria for kinking out of interface crack
M. Rahman	599	A penny-shaped crack under time–harmonic torsional body forces
H. M. Shu, J. Petit and **G. Bezine**	611	Stress intensity factors for radial cracks in thick walled cylinders—I. Symmetrical cracks
H. M. Shu, J. Petit and **G. Bezine**	625	Stress intensity factors for radial cracks in thick walled cylinders—II. Combination of autofrettage and internal pressure
Xinhua Yang and **Wei Shen**	631	An advanced dynamic three-dimensional finite element method to simulate deformation–damage process of laminates under impact
		Technical Note
A. Ohta, K. Matsuoka, N. Suzuki and **Y. Maeda**	639	Fatigue strength of non-load-carrying cruciform welded joints by a test maintaining maximum stress at yield strength
	I	Software Survey Section

NUMBER 5

V. Dayal and **I. Mohammed**	647	Micro–macro crack interaction in composites
M. M. Abdel Wahab and **G. De Roeck**	659	3D Finite element computation of strain energy release rate using different displacement and stress fields

Y. Z. Chen	667	Tension of a finite cracked plate with stiffened edges
Wei-Chung Wang and **Jin-Tzaih Chen**	671	Singularities of an arbitrarily inclined semi-infinite crack meeting a bimaterial interface
V. A. Lubarda, D. Krajcinovic and **S. Mastilovic**	681	Damage model for brittle elastic solids with unequal tensile and compressive strengths
I. R. Wallhead and **L. Edwards**	699	High accuracy stress intensity factor measurement using the optical method of reflected caustics
D. R. Hayhurst, B. F. Dyson and **J. Lin**	711	Breakdown of the skeletal stress technique for lifetime prediction of notched tension bars due to creep crack growth
M. D'Alessandro Caprice, M. Oriunno and **C. Vermeeren**	727	Evaluation of residual strength of GLARE© by experimental measurement of the J-integral
Qianchu Liu, Xiaoxue Diao and **Yiu-Wing Mai**	741	Modelling the effect of local brittle zones on ductile tearing of a weld
T. S. Srivatsan and **A. Prakash**	751	Effect of particulate silicon carbide on cyclic strain resistance and fracture behavior of X2080 aluminum alloy metal matrix composites
Zhi-He Jin and **Naotake Noda**	773	A quasi-three-dimensional crack problem of an elastic plate subjected to in-plane shear loading
		Technical Notes
K. K. Ray and **G. R. Rao**	781	Study of the effect of tempering on K_{IEAC} of a Ni–Cr–Mo steel using unprecracked Charpy type specimens
E. I. Stromswold and **D. J. Quesnel**	791	The effect of loading rate on chevron notch fracture toughness measurements

NUMBER 6

Zhiming Ye and **M. L. Ayari**	797	Prediction of crack propagation in anisotropic solids
F. W. Brust and **B. S. Majumdar**	809	Load history effects on creep crack growth
H. M. Shu, J. Petit and **G. Bezine**	839	Stress intensity factors for radial cracks in thick walled cylinders—III. Asymmetrical cracks
Y. Z. Chen	849	Various integral equations for a single crack problem of elastic half-plane
N. Ohtsuka, T. Kobayashi, K. Watashi and **M. Kikuchi**	859	Application of fracture surface topographic analysis technique to thermal fatigue crack extension in stainless steel vessel

D. N. Lal	871	A mechanistic model for the influence of stress ratio on the LEFM fatigue crack growth behavior of metals and alloys—I. Crack–ductile materials
D. N. Lal	899	A mechanistic model for the effect of stress ratio on the LEFM fatigue crack growth behavior of metals and alloys—II. Crack–brittle materials
H. M. Shu, J. Petit and **G. Bezine**	933	Stress intensity factors for several groups of equal and parallel cracks in finite plates
		Technical Notes
K. Kishimoto, M. Notomi and **T. Koizumi**	943	Fracture toughness of short carbon fibre reinforced thermoplastic polyimide
H. Nisitani, Y.-H. Kim, H. Goto and **H. Nishitani**	953	Effects of gage length and stress concentration on the compressive strength of a unidirectional CFRP
	I	Software Survey Section
	i	Index to Volume 49